



SAFETY DATA SHEET

SANDVIK PERFORMANCE FLUIDS

SANDVIK GREASE

SANDVIK OG220-H

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH) ARTICLE 31, ANNEX 11 AS
ISSUED: 20 Nov 2018
INTERNAL NO : SDS-SANDVIK OG220-H/ENG/METRIC

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1: Product identifier

Product name	SANDVIK GREASE
Product code	SANDVIK OG220-H

1.2: Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Grease
Uses advised against	No uses advised against identified.

1.3: Details of the supplier of the safety data sheet

Supplier name	Sandvik Mining and Construction
Address	Sverige AB Södra Järngatan 1 Sandviken, Sweden
Email	sds.smrt@sandvik.com

1.4: Emergency telephone number

Emergency telephone numbers	In case of chemical emergency (spill, leak, fire, exposure or accident) call our service provider UK National Chemical Emergency Centre (NCEC): For Europe and if no country-specific number listed: +44 1865 407 333 For Brazil: +55 11 3197 5891 For US: +1 202 464 2554 For Mexico: +52 55 5004 8763 For Africa: +27 21 300 2732 For Australia: +61 2 8014 4558 For NZ: +64 9 929 1483 For China (mainland): + 86 532 8388 9090 For China (outside): +86 512 8090 3042
Hours of operation	24 hours per day / 7 days per week.



2: HAZARDS IDENTIFICATION

2.1: Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).		
Classification according to Regulation (EC) No 1272/2008 as amended.		
Environmental Hazards		
Chronic hazards to the aquatic environment	Category 3	H412: Harmful to aquatic life with long lasting effects.
Hazard summary		
Physical Hazards	No data available	

2.2: Label elements

Hazard Statement(s)	H412: Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention	P273: Avoid release to the environment

2.3: Other hazards

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1: Mixtures

General information				
Lubricating grease:		Thickener system and additives in synthetic base oil.		
Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
ZnDTP	EINECS: 224-235-5	1,00 - <2,50%	01-2119493635-27	
Zn compound	EINECS: 234-409-2	0,25 - <1,00%		
phenolic antioxidant	EINECS: 204-881-4	0,25 - <1,00%	01-2119565113-46	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.				

Classification

Chemical name	Identifier	Classification	
ZnDTP	EINECS: 224-235-5	CLP	Eye Dam. 1;H318, Aquatic Chronic 2;H411
Zn compound	EINECS: 234-409-2	CLP	Skin Irrit. 2;H315, Aquatic Acute 1;H400, Aquatic Chronic 1;H410
phenolic antioxidant	EINECS: 204-881-4	CLP	Aquatic Acute 1;H400, Aquatic Chronic1;H410
CLP: Regulation No. 1272/2008. For the wording of the listed risk phrases refer to section 16.			



4: FIRST AID MEASURES

General	Instantly remove any clothing soiled by the product.
---------	--

4.1: Description of first aid measures

Inhalation	Supply fresh air; consult doctor in case of symptoms.
Eye Contact	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact	Wash with soap and water.
Ingestion	Rinse mouth thoroughly.

4.2: Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3: Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.
--

5: FIRE-FIGHTING MEASURES

5.1: Extinguishing media

Suitable extinguishing media	CO ₂ , fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media	Water with a full water jet.

5.2: Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3: Advice for fire-fighters

Special fire-fighting procedures	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6: ACCIDENTAL RELEASE MEASURES

6.1: Personal precautions, protective equipment and emergency procedures

Not required

6.2: Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

6.3: Methods and material for containment and cleaning up

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.



6.4: Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling
See Section 13 for information on disposal.

7: HANDLING AND STORAGE

7.1: Precautions for safe handling

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2: Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting products have to be followed.

7.3: Specific end use(s)

Not applicable.	
Storage Class:	11, Combustible solids

8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2: Exposure controls

Appropriate engineering controls	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
----------------------------------	--



Individual protection measures such as personal protective equipment:

General Information	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.
Eye / face protection	Safety glasses (EN 166) recommended during refilling.
Skin protection	
Hand protection	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: ≥ 480 min Recommended thickness of the material: $\geq 0,38$ mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory protection	Not relevant, due to the form of the product.
Thermal hazards	Not known
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls:

No data available



9: PHYSICAL AND CHEMICAL PROPERTIES

9.1: Information on basic physical and chemical properties

Appearance	
Physical state	Solid
Form	Paste
Colour	White
Odor	Characteristic
Odor Threshold	Not applicable for mixtures
pH	Not applicable
Melting Point	Not applicable for mixtures
Boiling Point	Value not relevant for classification
Flash point	Not applicable
Evaporation Rate	Not applicable for mixtures
Flammability (solid, gas)	Value not relevant for classification
Flammability Limit - Upper (%)	Not applicable for mixtures
Flammability Limit - Lower (%)	Not applicable for mixtures
Vapour pressure	Not applicable for mixtures
Vapour density (air=1)	Not applicable for mixtures
Density	0,90 g/ml (25,00 °C)
Solubility(ies)	
Solubility in water	Insoluble in water
Solubility (other)	No data available
Partition coefficient (n-octanol/water)	Not applicable for mixtures
Autoignition Temperature	Value not relevant for classification
Decomposition Temperature	Value not relevant for classification
NLGI	2
Explosive properties	Value not relevant for classification
Oxidizing properties	Value not relevant for classification

9.2: Other information

No data available

10: STABILITY AND REACTIVITY

10.1: Reactivity

Stable under normal use conditions

10.2: Chemical Stability

Stable under normal use conditions

10.3: Possibility of hazardous reactions

Stable under normal use conditions

10.4: Conditions to avoid

Stable under normal use conditions



10.5: Incompatible Materials

Strong oxidizing substances. Strong acids. Strong bases

10.6: Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

11.1 : Information on toxicological effects

Acute toxicity	
Oral	
Product	Not classified for acute toxicity based on available data.
Specified substance(s)	
ZnDTP	LD 50 (Rat): 4.358 mg/kg
Phenolic Antioxidant	LD 50 (Rat): 2.930 mg/kg (OECD 401)
Dermal	
Product	Not classified for acute toxicity based on available data.
Specified substance(s)	
Phenolic Antioxidant	LD 50 (Rat): > 5.000 mg/kg (OECD 402)
Inhalation	
Product	Not classified for acute toxicity based on available data.

Skin Corrosion / Irritation	
Product	Based on available data, the classification criteria are not met.
Specified substance(s)	
ZnDTP	(Rabbit) : None

Serious Eye Damage / Eye Irritation	
Product	Based on available data, the classification criteria are not met.
Specified substance(s)	
ZnDTP	(Rabbit) : Slightly irritating

Respiratory or Skin Sensitization	
Product	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s)	
Phenolic Antioxidant	No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity	
Product	Based on available data, the classification criteria are not met.



Carcinogenicity	
Product	Based on available data, the classification criteria are not met.
Reproductive Toxicity	
Product	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure	
Product	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Repeated Exposure	
Product	Based on available data, the classification criteria are not met.
Aspiration Hazard	
Product	Based on available data, the classification criteria are not met.
Other Adverse Effects	
No data available	

12: ECOLOGICAL INFORMATION

12.1: Toxicity

Acute toxicity	
Product	Based on available data, the classification criteria are not met.
Fish	
Specified Substance(s)	
ZnDTP	LC 50 (Fish, 96 h): 1,1 - 10 mg/l
Phenolic Antioxidant	LC 50 (Fish, 96 h): > 0,57 mg/l (OECD 203)
Aquatic Invertebrates	
Specified Substance(s)	
ZnDTP	EC 50 (Water Flea, 48 h): 1,1 - 10 mg/l
Phenolic Antioxidant	EC 50 (Water Flea, 48 h): > 0,17 mg/l
Chronic Toxicity	
Product	Based on available data, the classification criteria are met
Aquatic Invertebrates	
Specified Substance(s)	
Phenolic Antioxidant	NOEC (Water Flea, 21 d): > 0,39 mg/l



Toxicity to Aquatic Plants	
Specified Substance(s)	
ZnDTP	EC 50 (Alga, 72 h): > 240 mg/l
Phenolic Antioxidant	EC 50 (Alga, 72 h): > 0,42 mg/l

12.2: Persistence and Degradability

Biodegradation	
Product	Not applicable for mixtures
Specified Substance(s)	
ZnDTP	5 % (28 d, OECD 301B)
Phenolic Antioxidant	30 % (OECD 302C)

12.3: Bioaccumulative Potential

Product	Not applicable for mixtures
Specified Substance(s)	
Phenolic Antioxidant	May be accumulated in organism

12.4: Mobility in Soil

Product	Not applicable for mixtures
---------	-----------------------------

12.5: Results of PBT and vPvB Assessment

The product does not contain any substances fulfilling the PBT/vPvB criteria
--

12.6: Other Adverse Effects

Harmful to aquatic life with long lasting effects

13: DISPOSAL CONSIDERATIONS

13.1: Waste treatment methods

General information	Dispose in accordance with all applicable regulations.
Disposal methods	Discharge, treatment, or disposal may be subject to national, state, or local laws.
European Waste Codes	12 01 12*: spent waxes and fats

14: TRANSPORT INFORMATION

14.1: UN number

ADR/RID	-
ADN	-
IMDG	-
IATA	-



14.2: UN proper shipping name

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.3: Transport hazard class(es)

ADR/RID

Class:	Non-dangerous goods.
Label(s):	-
Hazard No. (ADR):	-
Tunnel restriction code:	-

ADN

Class:	Non-dangerous goods.
Label(s):	-

IMDG

Class:	Non-dangerous goods.
Label(s):	-
EMS No :	-

IATA

Class:	Non-dangerous goods.
Label(s):	-

14.4: Packing group

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.5: Environmental hazard(s)

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.6: Special precaution(s) for user

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.7: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.



15: REGULATORY INFORMATION

15.1: Safety, health and environmental regulations / legislation specific for the substance or mixture	
EU Regulations	
Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer	None
Regulation (EC) No. 850/2004 on persistent organic pollutants	None

15.2: Chemical Safety Assessment

No chemical safety assessment has been carried out
--

16: OTHER INFORMATION

Wording of the H-statements in section 2 and 3	H315 : Causes skin irritation. H318 : Causes serious eye damage. H400 : Very toxic to aquatic life. H410 : Very toxic to aquatic life with long lasting effects. H411 : Toxic to aquatic life with long lasting effects. H412 : Harmful to aquatic life with long lasting effects.
---	---

Other Information	The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).
Revision Date	

Disclaimer:
The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

End of Safety Data Sheet