



SAFETY DATA SHEET

SANDVIK PERFORMANCE FLUIDS

LONG-LIFE TRANSMISSION OIL

SANDVIK OT3000

ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH) ARTICLE 31, ANNEX 11 AS AMENDED.

ISSUED: 20 June 2017

INTERNAL NO : SDS-SANDVIK OT3000/ENG/METRIC

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1: Product identifier

Product name	SANDVIK LONG-LIFE TRANSMISSION OIL
Product code	SANDVIK OT3000

1.2: Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Transmission Oil
Uses advised against	No uses advised against identified.

1.3: Details of the supplier of the safety data sheet

Supplier name	Sandvik Mining and Construction
Address	Sverige AB Södra Järngatan 1 Sandviken, Sweden
Email	sds.smrt@sandvik.com

1.4: Emergency telephone number

Emergency telephone numbers	In case of chemical emergency (spill, leak, fire, exposure or accident) call our service provider UK National Chemical Emergency Centre (NCEC): For Europe and if no country-specific number listed: +44 1865 407 333 For Brazil: +55 11 3197 5891 For US: +1 202 464 2554 For Mexico: +52 55 5004 8763 For Africa: +27 21 300 2732 For Australia: +61 2 8014 4558 For NZ: +64 9 929 1483 For China (mainland): + 86 532 8388 9090 For China (outside): +86 512 8090 3042
Hours of operation	24 hours per day / 7 days per week.



2: HAZARDS IDENTIFICATION

2.1: Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Hazard summary

Physical Hazards	No data available.
------------------	--------------------

2.2: Label elements

EUH208: Contains Alkyl amine. May produce an allergic reaction.
EUH210: Safety data sheet available on request.

2.3: Other hazards

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1: Mixtures

General information	Mixture containing severely refined base oils and additives.
---------------------	--

Chemical name	Identifier	Concentration *	REACH Registration no.	Notes
base oil, paraffinic	EINECS: 265-159-2	20,00 - <50,00%	01-2119480132-48	
Methacrylate copolymer	Confidential	1,00 - <5,00%	Confidential	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
PBT: persistent, bioaccumulative and toxic substance.
vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification	
base oil, paraffinic	EINECS: 265-159-2	CPL	Asp. Tox. 1;H304
Methacrylate copolymer	Confidential	CLP	Eye Irrit. 2;H319

CLP: Regulation No. 1272/2008.
For the wording of the listed risk phrases refer to section 16.



4: FIRST AID MEASURES

General	Instantly remove any clothing soiled by the product.
---------	--

4.1: Description of first aid measures

Inhalation	Supply fresh air; consult doctor in case of symptoms.
Eye Contact	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact	Wash with soap and water. The product is not skin irritating.
Ingestion	Rinse mouth thoroughly.

4.2: Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3: Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.
--

5: FIRE-FIGHTING MEASURES

5.1: Extinguishing media

Suitable extinguishing media	CO ₂ , fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media	Water with a full water jet.

5.2: Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3: Advice for fire-fighters

Special fire-fighting procedures	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6: ACCIDENTAL RELEASE MEASURES

6.1: Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.
--

6.2: Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
--



6.3: Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4: Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

7: HANDLING AND STORAGE

7.1: Precautions for safe handling

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2: Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3: Specific end use(s)

Specific end use(s)	No data available.
Storage Class	10, Combustible liquids

8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1: Control Parameters

Occupational Exposure Limits	None of the components have assigned exposure limits.
------------------------------	---

8.2: Exposure controls

Appropriate engineering controls	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
----------------------------------	--

SDS-SANDVIK OT3000/ENG/METRIC © Sandvik Mining 2017 SANDVIK is a registered trademark owned by Sandvik Intellectual Property AB in Sweden and other countries.



Individual protection measures such as personal protective equipment:

General Information	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.
Eye / face protection	Safety glasses (EN 166) recommended during refilling.
Skin protection	
Hand protection	Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory protection	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards	Not known.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls:

No data available.



9: PHYSICAL AND CHEMICAL PROPERTIES

9.1: Information on basic physical and chemical properties

Appearance	
Physical state	Liquid
Form	Liquid
Colour	Red
Odor	Characteristic
Odor Threshold	Not applicable for mixtures
pH	Not applicable
Freezing Point	Not applicable for mixtures
Boiling Point	Value not relevant for classification
Flash point	200 °C
Evaporation Rate	Not applicable for mixtures
Flammability (solid, gas)	Value not relevant for classification
Flammability Limit - Upper (%)	Not applicable for mixtures
Flammability Limit - Lower (%)	Not applicable for mixtures
Vapour pressure	Not applicable for mixtures
Vapour density (air=1)	Not applicable for mixtures
Density	0,87 g/ml (15,00 °C)
Solubility(ies)	
Solubility in water	Insoluble in water
Solubility (other)	No data available
Partition coefficient (n-octanol/water)	Not applicable for mixtures
Autoignition Temperature	Value not relevant for classification
Decomposition Temperature	Value not relevant for classification
Kinematic viscosity	38,9 mm ² /s (40 °C)
Explosive properties	Value not relevant for classification
Oxidizing properties	Value not relevant for classification

9.2: Other information

No data available

10: STABILITY AND REACTIVITY

10.1: Reactivity

Stable under normal use conditions

10.2: Chemical Stability

Stable under normal use conditions

10.3: Possibility of hazardous reactions

Stable under normal use conditions

10.4: Conditions to avoid

Stable under normal use conditions



10.5: Incompatible Materials

Strong oxidizing substances. Strong acids. Strong bases.

10.6: Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11: TOXICOLOGICAL INFORMATION

11.1: Information on toxicological effects

Acute toxicity	
Oral	
Product	Not classified for acute toxicity based on available data
Specified substance(s)	
base oil, paraffinic	LD 50 (Rat): > 5.000 mg/kg
Methacrylate copolymer	No data available
Dermal	
Product	Not classified for acute toxicity based on available data
Specified substance(s)	
base oil, paraffinic	LD 50 (Rabbit): > 5.000 mg/kg
Methacrylate copolymer	No data available
Inhalation	
Product	Not classified for acute toxicity based on available data
Specified substance(s)	
base oil, paraffinic	LC 50 (Rat, 4 h): > 5 mg/l
Methacrylate copolymer	No data available
Repeated dose toxicity	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

Skin Corrosion / Irritation	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

Serious Eye Damage / Eye Irritation	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available



Respiratory or Skin Sensitization	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

Germ Cell Mutagenicity	
In vitro	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
In vivo	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Carcinogenicity	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Reproductive toxicity	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available

Specific Target Organ Toxicity - Single Exposure	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

Specific Target Organ Toxicity - Repeated Exposure	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available



Aspiration Hazard	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Other Adverse Effects	
No data available	

12: ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity	
Fish	
Product	No data available
Specified substance(s)	
base oil, paraffinic	LC 50 (Fish, 96 h): > 101 mg/l
Methacrylate copolymer	No data available
Aquatic Invertebrates	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Chronic Toxicity	
Fish	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Aquatic Invertebrates	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available
Toxicity to Aquatic Plants	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available



12.2 Persistence and Degradability

Biodegradation	
Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

12.3 Bioaccumulative Potential

Product	No data available
Specified substance(s)	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

12.4 Mobility in Soil

No data available	
Known or predicted distribution to environmental compartments	
base oil, paraffinic	No data available
Methacrylate copolymer	No data available

12.5: Results of PBT and vPvB Assessment

The product does not contain any substances fulfilling the PBT/vPvB criteria
--

12.6: Other Adverse Effects

Other Adverse Effects	No data available
Water Hazard Class (WGK)	WGK 2: water-endangering

13: DISPOSAL CONSIDERATIONS

13.1: Waste treatment methods

General information	Dispose in accordance with all applicable regulations
Disposal methods	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed
European waste codes	13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

14: TRANSPORT INFORMATION

14.1: UN number

ADR/RID	-
ADN	-
IMDG	-
IATA	-



14.2: UN proper shipping name

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.3: Transport hazard class(es)

ADR/RID

Class:	Non-dangerous goods.
Label(s):	-
Hazard No. (ADR):	-
Tunnel restriction code:	-

ADN

Class:	Non-dangerous goods.
Label(s):	-

IMDG

Class:	Non-dangerous goods.
Label(s):	-
EMS No :	-

IATA

Class:	Non-dangerous goods.
Label(s):	-

14.4: Packing group

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.5: Environmental hazard(s)

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.6: Special precaution(s) for user

ADR/RID	-
ADN	-
IMDG	-
IATA	-

14.7: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.



15: REGULATORY INFORMATION

15.1: Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU Regulations	
Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer	None
Regulation (EC) No. 850/2004 on persistent organic pollutants	None

National Regulations

No data available

Water Hazard Class (WGK)

WGK2 : water-endangering

15.2: Chemical Safety Assessment

No data available

16: OTHER INFORMATION

Wording of the H-statements in section 2 and 3	H304 : May be fatal if swallowed and enters airways. H319 : Causes serious eye irritation.
Other Information	The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP)
Revision Date	
Disclaimer:	
<p>The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.</p>	