

# SAFETY INFORMATION SHEET SANDVIK PERFORMANCE FLUIDS

# TRANSMISSION OIL

# SANDVIK OT10W

ACCORDING TO REGULATION (EC) NO 1272/2008 WE ARE NOT OBLIGED TO SUPPLY A SAFETY DATA SHEET OR MATERIAL SAFETY DATA SHEET WITH THIS PRODUCT. HOWEVER AS YOUR SAFETY IS OUR FIRST PRIORITY AT SANDVIK WE MADE AVAILABLE A SAFETY INFORMATION SHEET TO ACCOMPANY THE PRODUCT

INTERNAL NO: SIS-SANDVIK OT10W/ENG/METRIC

ISSUED: 27/08/2021

# 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1: Product identifier

I. I: Product Identifier			
Product Name	Transmission Oil		
Product Code	Sandvik OT10W		
1.2: Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Lubricant		
Uses advised against	This product must not be used in applications other than those listed in chapter 1 without first seeking the advice of the supplier.		
1.3: Details of the supplier of the safety information sheet			
Name	Sandvik Mining and Construction Logistics Ltd.		
Adress	Harcourt Road, Dublin, Ireland		
Email	For ALL content or SDS related inquiries contact us <a href="mailto:sds.smrt@sandvik.com">sds.smrt@sandvik.com</a>		

1.4: Emergency telephone number

Emergency telephone numbers	In case of chemical emergency (spill, leak, fire, exposure or accident) call our service provider UK National Chemical Emergency Centre (NCEC): For Europe and if no country-specific number listed: +44 1865 407 333 For Brazil: +55 11 3197 5891 For US: +1 202 464 2554 For Mexico: +52 55 5004 8763 For Africa: +27 21 300 2732 For Australia: +61 2 8014 4558 For NZ: +64 9 929 1483 For China (mainland): + 86 532 8388 9090 For China (outside): +86 512 8090 3042
Hours of operation	24 hours per day / 7 days per week.



# SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary: Physical Hazards: No data available.

# 2.2 Label Elements

EUH210: Safety data sheet available on request.

#### 2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-ronment without control.



# 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1: Mixtures

General information:

Lubricating grease: Thickener system and additives in synthetic base oil.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
ZnDTP	EINECS: 224-235-5	1,00% - <2,50%	01-2119493635-27	
Calcium long-chain alkylphenate sulfide	EINECS: 272-234-3	1,00% - <5,00%	01-2119524004-56	
Phenol derivative	EINECS: 310-154-3	0,01% - <0,25%	01-2119513207-49	**

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

\*\* Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List

#### Classification

Chemical name	Identifier	Classification	
ZnDTP	EINECS: 224-235-5	CLP:	Eye Dam. 1;H318, Aquatic Chronic 2;H411
Calcium long-chain alkylphenate sulfide	EINECS: 272-234-3	CLP:	Aquatic Chronic 4;H413
Phenol derivative	EINECS: 310-154-3	CLP:	Eye Dam. 1;H318, Aquatic Chronic 1;H410, Aquatic Acute 1;H400, Skin Corr. 1C;H314, Repr. 1B;H360; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10

CLP: Regulation No. 1272/2008.

# Specific concentration limit

Chemical name	Identifier	specific concentration limit	Hazard class	Hazard Category	Hazard statements
ZnDTP EINECS: 224-235-5		> 50 %	Serious eye damage	1	H318
	EINEUS. 224-235-5	> 50 %	Serious eye irritation	2	H319

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."



# 4: FIRST AID MEASURES

General: Instantly remove any clothing soiled by the product.

# 4.1: Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.

# 4.2: Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

# 4.3: Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.



# 5: FIRE-FIGHTING MEASURES

# 5.1: Extinguishing media

Suitable extinguishing mediaCO2, fire extinguishing powder or fog like water spraying.Extinguish larger fires with alcohol resistant foam or spray<br/>water with suitable surfactant added.

Unsuitable extinguishing media: Water with a full water jet.

# 5.2: Special hazards arising from the substance or mixture

**Specific hazards during fire-fighting** During fire, gases hazardous to health may be formed.

#### 5.3: Advice for fire-fighters

#### Special fire fighting procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

#### Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.



# 6: ACCIDENTAL RELEASE MEASURES

# 6.1: Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.

# 6.2: Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

# 6.3: Methods and materials for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

# 6.4: Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.



# 7: HANDLING AND STORAGE

# 7.1: Precautions for safe handling

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

# 7.2: Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3: Specific end use(s)

Not applicable

Storage Class: 10, Combustible liquids



#### 8: EXPOSURE CONTROLS / PERSONAL PROTECTION 8.1: Control parameters

# Occupational exposure limits:

None of the components have assigned exposure limits.

# 8.2: Exposure controls

#### Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

#### General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

#### Eye/face protection:

Safety glasses (EN 166) recommended during refilling. Avoid contact with skin and eyes. Goggles/ face shield are recommended. If risk of splashing, wear safety goggles or face shield.

#### Skin protection

#### Hand Protection:

Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



#### Other:

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

#### **Respiratory Protection:**

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

# Thermal hazards:

Not known.

#### Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

#### **Environmental Controls:**

No data available.



# 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1: Information on basic physical and chemical properties

Appearance Physical state: Form: Color: Odor: pH: Freezing point: **Boiling Point:** Flash Point: **Evaporation Rate:** Flammability (solid, gas): Flammability Limit - Upper (%)-: Flammability Limit - Lower (%)-: Vapor pressure: Vapor density (air=1): Density: Solubility(ies) Solubility in Water: Solubility (other): Partition coefficient (n-octanol/water): Autoignition Temperature: **Decomposition Temperature:** Kinematic viscosity: **Explosive properties:** Oxidizing properties: Particle characteristics:

Liquid Liquid Dark yellow Characteristic Substance/mixture is non-soluble (in water) -42 °C Not determined 224 °C Not applicable for mixtures Not determined Not applicable for mixtures 0,87 g/ml (15,00 °C)

Insoluble in water No data available. Not applicable for mixtures Not determined 40,9 mm2/s (40 °C) Value not relevant for classification Value not relevant for classification Not applicable

#### 9.2: Other information

No data available.



# 10. STABILITY AND REACTIVITY10.1 Reactivity:

Stable under normal use conditions.

#### 10.2 Chemical Stability:

Stable under normal use conditions.

#### 10.3 Possibility of hazardous reactions:

Stable under normal use conditions.

#### 10.4 Conditions to avoid:

Stable under normal use conditions.

#### 10.5 Incompatible Materials:

Strong oxidizing substances. Strong acids. Strong bases.

# 10.6 Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.



# 11: TOXICOLOGICAL INFORMATION 11.1: Information on toxicological effects

Acute toxicity:

Oral Product:	Not classified for acute toxicity based on available data.	
ZnDTP	LD 50 (Rat): 4.358 mg/kg	
Dermal Product: Specified substance(s)	Not classified for acute toxicity based on available data.	
ZnDTP	LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met	
<b>Specified substance(s)</b> ZnDTP	(Rabbit): None.	
Serious Eye Damage/Eye Irritation: Product:	Based on available data, the classification criteria are not met.	
<b>Specified substance(s)</b> ZnDTP	(Rabbit): Slightly irritating.	
Respiratory or Skin Sensitization: Product:	Skin sensitizer: Based on available data, the classification criteria are met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
<b>Specified substance(s)</b> ZnDTP	OECD 406-1 (Guinea Pig) Not a skin sensitizer.	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	



Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Repeated Exposure Product:	Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.



# 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity: Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) ZnDTP	LC 50 (Fish, 96 h): 4,4 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) ZnDTP Calcium long-chain al-kylphenate sulfide	EC 50 (Water Flea, 48 h): 75 mg/l (OECD 202) EC 50 (Water Flea, 48 h): > 1.000 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) ZnDTP	NOEC (Fish, 4 d): 3,2 mg/l
Aquatic Invertebrates Specified substance(s) ZnDTP	NOEC (Water Flea, 21 d): 0,4 mg/l
Toxicity to Aquatic Plants Specified substance(s) ZnDTP	EC 50 (Alga, 72 h): 410 mg/l
12.2 Persistence and Degradability	
Biodegradation Product: Specified substance(s)	Not applicable for mixtures
ZnDTP	5 % (28 d, OECD 301B)



#### 12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product:

Not applicable for mixtures

# 12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

#### 12.6 Other adverse effects:

Experimental data has shown that the concentration of the potentially aquatic toxic components present in this product is not harmful to aquatic organisms.

Water Hazard Class (WGK):

WGK 2: significantly water-endangering.



# 13: DISPOSAL CONSIDERATIONS 13.1: Waste treatment methods

General information:

Disposal methods:

Dispose in accordance with all applicable regulations.

Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

# European Waste Codes:

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils



# 14: TRANSPORT INFORMATION

ADR/RID 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	- Non-dangerous goods - - - -
IMDG 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	- Non-dangerous goods - - -
IATA 14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	- - Non-dangerous goods - - -

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.



15: REGULATORY INFORMATION 15.1: Safety, health and environmental regulations / legislation specific for the substance or mixture

EU Regulations

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Sub-stances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulations

Water Hazard Class (WGK):

WGK 2: significantly water-endangering.

#### 15.2 Chemical safety as-sessment:

No Chemical Safety Assessment has been carried out.



#### **16: OTHER INFORMATION**

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### Other information:

The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi-lar mixtures" - Expert Judgement

**Revision Date:** 

27.08.2021

#### Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.