


The Golden Shank. Next generation corrosion protection.

Put an end to premature tool corrosion

With the Golden Shank we introduce a completely unique rust protection that gives longer service life, higher productivity, lower overall costs, and less environmental impact.



Unique corrosion protection
on entire shank adapter

Less wear and breakages
on machine parts

Significant improvement in
service life on thread

+30–100% service life



The Golden Shank
Lasting a full service interval.

Conventional shank
Needs to be changed before
planned service stop.

A world first from Sandvik; the unique corrosion protection that makes your shank last longer.

Shank adapters are very time-consuming to change. They can weigh more than 25 kilos/ 55 pounds and be difficult and heavy to change. Therefore, the shank's life span is crucial when planning your drilling operation and keeping a deadline. The Golden Shank has a new type

of corrosion protection that will help you plan and execute your underground drilling operations in a much more productive and predictable way. Compared to conventional corrosion protection shanks, the Golden Shank has a service life that lasts 30–100% longer, saving both time and money.

Field test results

Using the Golden Shank will result in a increased service life, more predictable product outcome, and service intervals that are longer without the need to change shank adapters at the drilling area.

Average service life



Average increase in service life, based on specific trials. Results may vary depending on ground conditions and drilling procedures.

“I can’t even remember when I changed the shank”

– Driller, Northern Europe

The Golden Shank assortment

Rock drill	Thread	Part number	Diameter (mm)	Length (mm)
HLX5/RDX5	T38	7304-7585-34	45	500
COP MD20	T38	7304-3686-34	38	470
COP 1638/1838	T38	7304-3652-34	38	435
RD520/RD525	T38	7304-7669-34	45	525
RD520/RD525	T45	7305-7669-34	45	525
HL1560ST	ST58	7328-6020-34	80	635
HL1560ST	ST68	7329-6020-34	80	635
HL1560ST	ST68	7329-6035-34	90	635
COP 3060MUX B	ST58	7328-3677-34	90	745
COP 3060MUX B	CT67	7349-3677-34	90	745
COP 4050MUX	CT67	7349-3720-34	90	835
HL1560ST	CT67	7349-6020-34	80	635
HL1560ST	CT67	7349-6035-34	90	635

The Golden Shank protection can be applied on all shank adapters, for additional assortment requests discuss with your local Sandvik representative.